

ICM 1076 (60) Food grade silicone emulsion

Description

This product is a food grade emulsion of a polydimethylsiloxane fluid.

Key Features

- Food grade ingredients
- Effective in low concentrations
- Easy to handle and easily formulated
- Effective in hot and cold systems

Key Applications

- Mold release aid
- Food processing systems
- Chain grease
- Lubrication agent

Application

ICM 1076(60) is a water dispersible 60% nonionic emulsion, formulated for food grade release and greasing applications. ICM 1076(60) is used in many release and greasing applications which require food grade ingredients.

Use and Cure Information

This product can be diluted in water or an aqueous media before use. If unsure where to start the dilution, it is recommended to dilute one-part product to 30 parts water/aqueous media. This dilution is then applied to the food contact surface by spraying, wiping, brushing, or dipping.

Health & Safety

This product is not intended for pharmaceutical use. It is the responsibility of the user to ensure acceptable compatibility with intended food contact surfaces.

Revision Date 22 Sep 2021

Revision No 4

Download Date 22 Mar 2023

Property

Product

Appearance
Ionicity
Solids Content (%)
Viscosity (cst)
pH

Addition Rates

Dosage - 1

Storage

Max Storage Temperature
Min Storage Temperature
Packaging
Shelf Life

Test Method

Value

White Emulsion
Non-ionic
60 %
6000
6

1-5% for mold release applications

40 °C / 104 °F
4 °C / 39 °F
40 lb. pails or 441 lb. drums
12 mths

The content set out in the technical data sheet does not contain information upon which you should rely. It is provided for general information purposes only and does not constitute a product specification. You must obtain professional or specialist advice before taking any action based on the information provided in the technical data sheet.

CHT make reasonable efforts to ensure that information set out in the technical data sheet is complete, accurate, and up-to-date. CHT do not, however, make any representations, warranties or guarantees (whether express or implied) that information set out in the technical data sheet is complete, accurate, or up-to-date or that the product will be suitable for your requirements. You should carry out your own testing to determine the applicability of such information and whether the product will be suitable. CHT reserve the right to modify the technical data sheet at any time. The CHT technical service department is available to offer further information and advice and should it be needed to look at modifying current products or custom formulate a new one to meet your specific requirements. Please contact the technical service department.

CHT Germany GmbH: Postfach 12 80, 72002 Tübingen, Bismarckstraße 102, 72072 Tübingen, Germany
Telephone: 07071/154-0, Fax: 07071/154-290, Email: info@cht.com, Homepage: www.cht.com / www.cht-silicones.com