TECHNICAL DATA SHEET



HANSA CARE 8012 Aminosiloxane as an ingredient for Home and Car Care.

Description

Aminosiloxanes are Siloxanes modifed with Nitrogen groups. The modification degree lead to an

optimal performance in aqueous or solvent borne formulations for home and car care applications.

These products are excellently suited for a use in polishes, wax formulations and drying aids in automatic or manual car wash and provide for perfect drying characteristics including a good water repellence and excellent gloss.

Key Features

- Enhances gloss
- Durability
- · Easy to rub off
- · Water repellency and Smoothness

Key Applications

- Rinse Aids
- Car Polishes
- Sealants
- Glass Treatments

Application

HANSA CARE 8012 is applied as hydrophobic component with an additional gloss and colour depth improvement in care formulations, e.g. in varnish care formulations. It is also suited for impregnating glass, varnish, mineral substrates, etc.

Health & Safety

Health & Safety

Safety Data Sheet available on request.

Packaging

Drums and bulk containers. Please contact our sales department for more information.

Revision Date 29 Apr 2021

Revision No

Download Date 23 Apr 2024

Property Test Value Method

Product

Appearance Clear to slightly turbid liquid

Chemistry Aminosiloxane lonicity Cationic

MIT Free Yes
Nitrogen Content (%) Approx. 1.2

Non-Volatile Content (%)

Ultralow cyclic content

No

Viscosity Brookfield < 400 cP

Addition Rates

Dosage - 1 1.0 – 10.0% in car polishes /

sealants

Storage

Max Storage Temperature $40 \, ^{\circ}\text{C} \, / \, 104 \, ^{\circ}\text{F}$ Min Storage Temperature $4 \, ^{\circ}\text{C} \, / \, 39 \, ^{\circ}\text{F}$ Shelf Life $12 \, \text{mths}$