

EM 3009 Emulsion of a reactive, film forming silicone

Description

ICM EM-3009 is a concentrated 35% active reactive silicone cationic emulsion that when dried forms a hydrophobic film on hard-porous surfaces.

Key Features

- One part composite-reinforced film former
- Reactive chemistry with tenacious substrate binding
- Imparts durable hydrophobic coating
- Extends the lifetime of treated substrates

Key Applications

- Waterproofs and hydrophobes brick, mortar, concrete, and concrete blocks
- Film forming

Application

Hydrophobic barrier coating for metal, concrete, wood and a variety of other substrates.

Use and Cure Information

ICM EM-3009 can be used diluted or as part of a coating/hydrophobing formula. It is typically diluted to between 2-10% actives for application. The surfaces treated should be free of dirt, oil, and water. The final product should be applied using a sprayer or roller until the surface is completely covered. A second treatment can be applied after the product has been allowed to dry for several hours for enhanced protection. The product should be applied at above 5°C (40°F).

Health & Safety

Read product and safety data sheets before handling this product for physical and health hazard information. The safety data sheet is available from your CHT representative.

Limitations

This product is not intended for pharmaceutical use.

Property

Product

Appearance

Solids Content (%)

pH

Storage

Max Storage Temperature

Packaging

Shelf Life

Test Method

Value

Liquid

35 %

8

40 °C / 104 °F

40 lb. pails, 441 lb. drums,
and 2205 lb. totes

12 mths

Revision Date 07 Dec 2021

Revision No 5

Download Date 16 Apr 2024

The content set out in the technical data sheet does not contain information upon which you should rely. It is provided for general information purposes only and does not constitute a product specification. You must obtain professional or specialist advice before taking any action based on the information provided in the technical data sheet. CHT make reasonable efforts to ensure that information set out in the technical data sheet is complete, accurate, and up-to-date. CHT do not, however, make any representations, warranties or guarantees (whether express or implied) that information set out in the technical data sheet is complete, accurate, or up-to-date or that the product will be suitable for your requirements. You should carry out your own testing to determine the applicability of such information and whether the product will be suitable. CHT reserve the right to modify the technical data sheet at any time. The CHT technical service department is available to offer further information and advice and should it be needed to look at modifying current products or custom formulate a new one to meet your specific requirements. Please contact the technical service department.

CHT Germany GmbH: Postfach 12 80, 72002 Tübingen, Bismarckstraße 102, 72072 Tübingen, Germany
Telephone: 07071/154-0, Fax: 07071/154-290, Email: info@cht.com, Homepage: www.cht.com / www.cht-silicones.com