

AF 10 10% active water dispersible silicone antifoam

Description

CHT silicone antifoam emulsions are formulated to control foam in a wide variety of industrial applications.

Key Features

- Water dispersible silicone antifoam
- Readily dispersible in aqueous systems
- Effective in hot and cold systems
- Easy to handle

Key Applications

- Coatings
- Waste water treatment
- Pulp and paper
- Grinding applications

Application

AF 10 is used in to control foam in industrial applications including, pulp and paper, oil and gas, and recycling.

Use and Cure Information

CHT silicone antifoam emulsions can be dispersed with minimal agitation in most aqueous processing applications, however it is advisable to screen each application before use. Use product as is by adding directly into foaming system, or dilute with process liquid prior to use. Effective when added prior to foam generation or when added to control existing foam.

Health & Safety

Read product and safety data sheets before handling this product for physical and health hazard information. The safety data sheet is available from your CHT representative.

Limitations:

This product is not intended for pharmaceutical use.

Property	Test Method	Value
Product		
% actives		10 %
Appearance		Creamy liquid
Color		White to off-white
Viscosity (cst)		2000
Addition Rates		
Dosage - 1		100-10,000 ppm Active
Storage		
Max Storage Temperature		40 °C / 104 °F
Packaging		This product is available for sale as 40 lb. pails and 441 lb. drums. and 2205 lb. totes
Shelf Life		12 mths

Revision Date 21 Sep 2021

Revision No 6

Download Date 20 Sep 2024