

CHT-BeauSil™ WAX 069 Modified siloxane as an ingredient for Personal Care.

Description

Silicone waxes are more than an emollient in Personal Care. Silicone waxes are alkyl modified polydimethyl siloxanes that act different than classic silicone fluids in formulations. Outstanding performance is created by the alkyl modification which result in unique physical and chemical properties.

Key Features

- Water repellency
- Emollient, Softness and Smoothness, Reduces tackiness
- Enhances spreading and solubilizing of natural lipids
- Gives texture / structure


Key Applications

- Skin Care
- Color Cosmetic
- Sun Care

Application

CHT-BeauSil™ WAX 069 improves the smoothness, detackification, lubricity gloss, emolliency and water repellency. It provides a higher spreadability, non-sticky feel and moisturising benefits when it melts on contact with the skin. CHT-BeauSil™ WAX 069 improves the skin adhesion of decorative cosmetics and pigment dispersions. CHT-BeauSil™ WAX 069 avoids the syneresis in pigmented products (lipstick).

Structure of a silicone wax



Health & Safety

Safety Data Sheets on request available.

Packagin

Drums. Contact our sales department for more information.

Revision Date 30 Nov 2021
Revision No 3
Download Date 13 Aug 2022

Property

Product

Appearance
INCI Name
Ionicity
MIT Free
Melting point (°C)
Non-Volatile Content (%)
Ultralow cyclic content

Addition Rates

Dosage - 1

Dosage - 2

Solubility

Solubility - Almond oil
Solubility - Cetyl Dimethicone
Solubility - Dimethicone 350cst
Solubility - Ethanol
Solubility - Ethylhexylcarbonate
Solubility - Glycerine
Solubility - IPM
Solubility - Isododecane
Solubility - Paraffin Oil
Solubility - Polysorbate-20
Solubility - Propylenglycol
Solubility - Water

Storage

Max Storage Temperature
Min Storage Temperature
Shelf Life

Test Method Value

Colorless to slightly yellow wax
Stearyl dimethicone
Non-ionic
Yes
Approx. 30 - 32
Approx. 100
Yes

0.5 – 5.0% in decorative and skin care preparations
1.0 - 3.0% in sun care products

Soluble
Soluble
Miscible
Insoluble
Soluble
Insoluble
Soluble
Soluble
Miscible
Insoluble
Insoluble

40 °C / 104 °F
4 °C / 39 °F
24 mths

The content set out in the technical data sheet does not contain information upon which you should rely. It is provided for general information purposes only and does not constitute a product specification. You must obtain professional or specialist advice before taking any action based on the information provided in the technical data sheet.

CHT make reasonable efforts to ensure that information set out in the technical data sheet is complete, accurate, and up-to-date. CHT do not, however, make any representations, warranties or guarantees (whether express or implied) that information set out in the technical data sheet is complete, accurate, or up-to-date or that the product will be suitable for your requirements. You should carry out your own testing to determine the applicability of such information and whether the product will be suitable. CHT reserve the right to modify the technical data sheet at any time. The CHT technical service department is available to offer further information and advice and should it be needed to look at modifying current products or custom formulate a new one to meet your specific requirements. Please contact the technical service department.

CHT Germany GmbH: Postfach 12 80, 72002 Tübingen, Bismarckstraße 102, 72072 Tübingen, Germany
Telephone: 07071/154-0, Fax: 07071/154-290, Email: info@cht.com, Homepage: www.cht.com / www.cht-silicones.com